

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

Public services- I & CAD Department- PS- I & CAD Department- irregular payments to the Contractors in Godawari pushkaram 2003 works by I & CAD Dept in Rajahmundry – Disciplinary proceedings against certain Engineers of I & CAD Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of Sri P.Gopala Krishna Reddy, Chief Engineer, Godawari Delta System, Dowlaiswaram as Inquiring Authority – orders- issued.

---

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT

G.O.Rt.No. 939

Dt. 16 -09-2011

Read the following :-

1. G.O. Ms. No. 187, I & CAD (Ser.VII(V&E-2) Department, dt. 03-11-2008.
2. G.O.Rt.No. 1424, I & CAD (Ser.VII (V&E-2) Dept, dt. 03-11-2008.
3. G.O. Ms. No. 188, I & CAD (Ser.VII(V&E-2) Department, dt. 03-11-2008.
4. G.O.Rt.No. 1425, I & CAD (Ser.VII (V&E-2) Dept, dt. 03-11-2008
5. G.O. Ms. No. 186, I & CAD (Ser.VII(V&E-2) Department, dt. 03-11-2008.
6. G.O.Rt.No. 1423, I & CAD (Ser.VII (V&E-2) Dept, dt. 03-11-2008
7. G.O.Rt.No. 1427, I & CAD (Ser.VII (V&E-2) Dept, dt. 03-11-2008

ORDER

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers.

1. Sri D.Sukumar, Superintending Engineer (Rtd)
2. Sri V.Adinarayana Murthy, Dy. Superintending Engineer (Rtd)
3. Sri A.Rajeswara Rao, Head Draughtsman (Rtd)
4. Sri Vijaya Raju, Assistant Technical Officer

2. And, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officers

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of the said rule, the disciplinary Authority hereby appoints Sri P.Gopala Krishna Reddy, Chief Engineer, Godawari Delta System, Dowlaiswaram as Inquiring Authority to inquire into the charges framed against the above said officers.

4. Copies of reports, charge memoranda and written statement of defense submitted by the accused officers are forwarded herewith to the Inquiring Authority. The presenting officer will produce the other original documents relating to the case before the Inquiring Authority.

5. The Inquiring Authority is requested to complete the enquiry and submit his report within two months.

6. The Engineer-in-Chief (AW), I & CAD Department is directed to appoint a Presenting officer not below the rank of Superintending Engineer, to present the case on behalf of the disciplinary authority before the Inquiring Authority.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**SHAILENDRA KUMAR JOSHI**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri P.Gopala Krishna Reddy, Chief Engineer, Godawari Delta System, Dowlaiswaram.

The individuals through the Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

Copy to:

The Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

//FORWARDED :: BY ORDER//

SECTION OFFICER